

BOY JOEY

DJ Technical Rider Pioneer CDJ-3000 / DJM-NEXUS Series Configuration

REQUIRED PREFERRED MINIMUM OPTIONAL + FEE

PLAYBACK HARDWARE

CDJ-3000 Multi Players		DJM-NEXUS Mixer	
Preferred configuration	4 x CDJ-3000	Required series	DJM-NEXUS
Minimum acceptable	2 x CDJ-3000	Preferred model	DJM-900NXS2
Firmware	Latest stable	Acceptable	DJM-V10, DJM-A9
Link networking	All units Pro DJ Link	Min. channels	4 stereo channels
USB ports	All slots accessible	Master output	XLR balanced, pre-EQ
Substitution	CDJ-2000NXS2 accepted	Booth output	XLR or 1/4" TRS

BOOTH MONITORS

Monitor Configuration		Stage & Table Dimensions	
Preferred setup	Stereo — 2x powered wedge or near-field	Table depth	Min. 60 cm
Minimum	1x powered wedge or near-field	Width — 4 CDJ	200 cm
Single monitor	Left of DJ — always	Width — 2 CDJ	120 cm
Volume control	Booth knob on mixer	Table height	90–100 cm
Minimum SPL	Audible over crowd at 100 dB	Booth work light	Required
Connection	XLR from mixer booth output	Stage access	Clear path from wings

CONNECTIVITY & CABLING

Network switch	Unmanaged gigabit LAN	CDJ to Mixer	RCA per channel
Ethernet cables	Cat5e+ — 1 per unit	Master out	XLR balanced to PA
Pro DJ Link	All CDJs linked via switch	Booth monitor	Separate XLR
USB (artist)	Rekordbox exFAT drives	Headphone out	1/4" jack accessible

POWER

Dedicated circuit	Min. 1 x 20A for booth	Power strip	Surge-protected, 8+ outlets
Ground loops	Venue to confirm clean	Soundcheck	Min. 30 min before doors

ADVANCE REQUIREMENTS

- Venue to confirm full hardware spec no later than 72 hours prior to show date.
- DJ arrives with music on rekordbox-prepared USB drives (exFAT). No laptop required unless specified.
- All USB ports on CDJ-3000 units must be unobstructed and functional before set.
- Do not pre-load venue USB sticks in slots ahead of the set.
- Mixer gain structure must be set to unity before soundcheck.
- Any hardware substitutions require pre-approval from booking contact.

OPTIONAL ADD-ONS

OPTIONAL

Pioneer RMX-1000	Welcome if on hand	Lighting trigger	MIDI or DMX sync
Headphone stand	Appreciated	Water in booth	Flat water, still

ALTERNATIVE CONFIGURATION — XDJ-AZ

Artist-owned Pioneer XDJ-AZ all-in-one controller available as an alternative to the full CDJ + mixer setup. This option carries an additional equipment fee and must be confirmed at time of booking.

[XDJ-AZ Specifications](#)

[Terms & Booking](#)

Unit	Pioneer XDJ-AZ (1 unit, artist-owned)	Booking confirm	Required at time of booking
Configuration	2-deck all-in-one, integrated mixer	72hr re-confirm	Required before show day
Replaces	CDJ-3000s + DJM mixer	Venue provides	Power, table, monitors, PA
Monitor req.	Same as standard rider	Artist provides	XDJ-AZ unit + cables
External switch	Not required — standalone	Additional fee	Discuss with booking contact
PA req.	Same as standard rider	USB ports	All slots accessible

HOSPITALITY RIDER

The following are standard requests and can be adjusted or waived by mutual agreement. Nothing here is a dealbreaker — communicate with booking contact if any items need discussion.

Changing / Prep Space		Beverages & Booth	
Space type	Clean, private, accessible room	Water in booth	Flat/still water, easily accessible
Requirement	Not a bathroom or utility closet	Sparkling	Not preferred
Seating	Min. 1 chair preferred	Guest list	Confirm count with booking
Mirror	Preferred, not required	Green room	Appreciated if available at venue
Lock / privacy	Appreciated	Additional hosp.	Negotiable — discuss at booking
Access timing	Available from arrival through set		

BOOKING & CONTACT

For all booking inquiries, rider questions, or configuration discussions, please visit boyjoey.com/booking. All technical questions should be directed to the booking contact at least 72 hours prior to the event date.

boyjoey.com · [@boyjoey81](https://twitter.com/boyjoey81)